

PT2200B

Highlights

- Fashionable ,delicate and elegant
- Low noise direct thermal printing method
- Paper out detection, automatic memory printing function
- RS232/TTL , Bluetooth interface
- Easy paper loading
- Long life head mode (60km)
- Greater reliability delivers longer life & lower maintenance costs
- Easy maintenance
- Packaging is made from recycled materials and is recyclable
- 1D & 2D bar code support allows wider applications
- Image printing support

Industry	Application
General Retail	Billing Estimate Slip Parking Management Queue Management
Food & Beverages	Billing KOT
Hospitality	Billing KOT
Healthcare	Billing Queue Management
Entertainment	Parking Management Ticketing
Banking	Kiosk Queue Management
Tolling	Ticketing

Description:

PT2200B is specially designed as a docking station for tablets. Any 7-10" tablet can be attached to this device. PT2200B is compatible with Android.

PT2200B, given its design is perfect for building integrated POS solutions for retail and F&B vertical.

PT2200B is CE, FCC and BIS certified product.

Technical specifications:

Paper Working	Loading way	easy
	Cutting way	Divulsion (dentiform)
Printer Performance	Print method	direct thermal print and auto paper feed
	Printing density	384 dots/line 8 dots/mm
	Printing width	48 mm
	Max printer speed	85 mm/s(max.)
	Dot distance	0.125 mm
Drawing/Bar code	Word size(WxH mm)	0.75×1
	ASCII Character(WxH dots)	16 lattice:8×16; 24 lattice:12×24
	ASCII Size(WxH mm)	16 lattice:1×2; 24 lattice:1.5×3
	Drawing/bar code	suitable
Testing Method	Lacking paper testing	photo electricity sensor
Control System	Printer interface	TTL,RS232,bluetooth
	Buffer	32k
	Command system	ESC printer command/WH printing command
Power	Working voltage	DC3.5V--9V (from7.2-7.5V,with highest speed and excellent effect)
	Current	2.5A-3A
Printer Mechanism	Printing head lifespan	60km
Paper	Paper item	thermal paper
	Paper width	58mm
	Paper thickness	65±5um
	Diameter of paper roll	40mm
Environment	Operating temperature/humidity	0~50°C/10%~80% RH
	Storage temperature /humidity	-20~60°C, 10%~90% RH
Physics Specification	Dimension (WxHxD mm)	76.8mm*77.4mm*43.5mm
Warranty		1 year

About iPoS Print Private Limited:

iPoS Print Private Limited is a manufacturer of unique tablet docking stations with integrated thermal printers specially designed to create low cost POS solutions for different retail small businesses and stores.

iPoS Print Private Limited is recognized and backed by NASSCOM, Microsoft and Amazon Webservices.

Our vision is to enable technology to spread to the millions of small and medium retail business owners in India by helping in the development of low cost and mobile POS solutions.

Drivers:

<http://www.iposprint.com/#products>



The advertisement features a large image of a black and grey handheld device with a circular sensor on top. The sensor has a white label that reads "For Tablet PC" with a double-headed arrow. To the left of the device, there is a Bluetooth logo followed by the word "Bluetooth" and a collection of various mobile devices including smartphones, a tablet, and a laptop. In the top left corner of the advertisement, the "iPoS print" logo is displayed. At the bottom, there are three circular icons representing regulatory standards: CCC, CE, and FC. The website address "www.iposprint.com" is printed in a white box on a blue background at the bottom right.

iPoS Print Private Limited

71A, Block G, Palam Vihar, Gurgaon 122017, Haryana

Contact: +91 9810535694



iPoS™
print

Bluetooth™

www.iposprint.com

This advertisement features a large image of the iPoS print device, a black printer with a tablet mounted on top. To the left of the printer, there is a collection of icons representing various devices: a smartphone, a tablet, a laptop, and a desktop computer, all connected to a central Bluetooth symbol. Below the printer, there are three circular icons representing regulatory standards: CCC, CE, and FCC. The entire advertisement is set against a white background with a blue border at the bottom.

